



EAGLE TUGS
26111 Northline Rd
Taylor, MI 48180
800 671 0431 tel
734 442 1000 tel
734 442 1005 fax
www.eagletugs.com

EAGLE TT AWD TRANSIT PRO

TT-4, TT-5, TT-6, TT-8

The Eagle TT Series Transit Pro is a full-service utility tractor which was engineered to meet the needs of today's Transit Authorities. It is designed to be an "all-in-one" maintenance tractor to service broken-down transit vehicles.

Here is what the Transit Pro TT series has to offer:

- Up to 90,000 lbs towing or pushing capacity.
- Optional battery jump-start and air compressor system and a utility storage box for remotely servicing broken down equipment.
- Only product in its weight class and towing capacity available in All Wheel Drive - providing safe, controlled traction on all surface conditions.
- Ergonomic operator compartment and mirror-less hitch visibility allow operators to safely and efficiently handle transit vehicles.
- Designed with carefully matched components, resulting in minimal or no unscheduled maintenance or repair.
- Unparalleled reliability and factory-direct service and support is the Eagle Tugs advantage.
- Eagle Tugs has over 40 years of experience designing, building and supporting reliable tow tractors.

STANDARD FEATURES

- Up to 90,000 lbs towing or pushing capacity
- All Wheel Drive
- Hitch sight tunnels
- Power steering & braking
- Front & Rear brakes
- Side & top engine access
- Choice of gas, diesel, & LPG
- Low oil/high temp shutdown system

RECOMMENDED OPTIONS

- 4" Thick Front & Rear Rubber Bumpers
- 12/24V Jump-Start System
- 125 psi Air Compressor
- Part/Tool Storage Box
- All Steel Cab
- Quick Release Snow Plow





EAGLE TUGS
 26111 Northline Rd
 Taylor, MI 48180
 800 671 0431 tel
 734 442 1000 tel
 734 442 1005 fax
 www.eagletugs.com

EAGLE TT ALL WHEEL DRIVE TRANSIT PRO

	MODELS	TT-4 AWD	TT-5 AWD	TT-6 AWD	TT-8 AWD
PERFORMANCE	Drive Wheels	2 Front / 2 Rear	2 Front / 2 Rear	2 Front / 2 Rear	2 Front / 2 Rear
	Drawbar Pull	4,000 lbf / 1,818 kgs	5,000 lbf / 2,272 kgs	6,000 lbf / 2,727 kgs	8,000 lbf / 3,636 kgs
	Towing Capacity*	55,000 lbs / 24,948 kgs	65,000 lbs / 29,484 kgs	75,000 lbs / 34,019 kgs	90,000 lbs / 40,823 kgs
	Service Weight Gas/LP	6,650 lbs / 3,016 kgs	7,450 lbs / 3,379 kgs	8,550 lbs / 3,878 kgs	9,450 lbs / 4,286 kgs
	Service Weight Diesel	6,850 lbs / 3,107 kgs	7,650 lbs / 3,470 kgs	8,750 lbs / 3,969 kgs	9,650 lbs / 4,377 kgs
	Optional Cab - Add	500 lbs / 227 kgs	500 lbs / 227 kgs	500 lbs / 227 kgs	500 lbs / 227 kgs
DIMENSIONS	Length	116 in / 2,946 mm			
	Width	54 in / 1,372 mm			
	Width (dual rear)	72 in / 1,829 mm			
	Height	40 in / 1,016 mm			
	Height w/ cab (option)	71 in / 1,803 mm			
	Wheelbase	75 in / 1,905 mm			
	Track	46 in / 1,168 mm			
	Tires (front & rear)	8.00 x 16.5 in - Standard / 225/75R16 - Dual Rear Option			
	Step Height	11.5 in / 228 mm			
	Ground Clearance	9 in / 228 mm			
BODY	Frame	.375 in / 9.5 mm thick steel			
	Bumper (front/rear)	3 in (75 mm) – 4 in (100 mm) / 3 in (75 mm)			
TRAVEL	Suspension	Leaf springs over both axles			
	Number of Speeds	3 forward / 1 reverse with neutral safety switch			
	Max Speed Gas/LPG	15 mph / 24 kph			
	Max Speed Diesel	13 mph / 21 kph			
	Steering	Hydraulic power-assisted mechanical: self-centering			
	Brakes	Hydraulic, self-adjusting split type with accumulator			
	Front Brakes	12 in (disc)			
	Rear Brakes	12 x 2.5 in (drum)			
	Parking Brakes	Orscheln-type mechanical to rear brake drums			
		ENGINE OPTIONS	GAS/LPG**	DIESEL**	
SPECIFICATIONS	Manufacturer	WisCon	Yanmar		
	Model	TM27	4TNV98 Direct Injection		
	Rated Output @ 2800 rpm	80 HP / 60 kW	68 HP / 51 kW		
	Torque @ 2800 rpm	162 ft lbs / 220 Nm	186 ft lbs / 252 Nm		
	Cylinders - Displacement	4 Cylinder / 2.7 L	4 Cylinder / 3.3 L		
	Fuel Tank	16 gallons / 60 liters	13 gallons / 49 liters		
ELECTRICAL	Air Cleaner	Severe environment, heavy duty, dry replacement element			
	System	12 Volt			
	Alternator	65 amp	80 amp		
	Battery (cold crank)	650 amp			
	Ignition	Keyed with anti-restart switch			
	Lights	Halogen headlights / combination brake, tail and back-up at rear-all recessed			
	Instruments	Dual-unit digital back-lit display offering engine diagnostics and full instrumentation			

SOLD & SERVICED BY:

* Normal Operating Conditions - Wet, 1% grade. ** EPA emissions compliant.